




INTEGRATOR PRICE LIST

JULY 2025

TUKANS.COM



INTEGRATOR PRICE LIST – JULY 2025

About TUKANS

Tukans is part of CUK Group along with another two AV distribution companies across the UK and Ireland – CUK (Glasgow), and CUK Video and Audio (Dublin).

Tukans was born out of desire by its founders, Yvonne Womersley and Andrew Popely in 2003, to find, use and tell other about innovative AV products. In the eve of 2020, Tukans was acquired by CUK with a vision of providing a complete video, audio and control solution.

Far more than “just” a distributor, Tukans provides customers with value added services via a team of channel managers and support staff. Our staff have a great breadth of experience encompassing all aspects of the video and audio industry.

We are happy to put this experience at your disposal, helping you grow your business and enabling you to diversify in to different market areas and applications by leveraging our knowledge.

CUK Group – your technical audio visual partner.



Contact Us

Our team is available to assist you between the hours of 9.00am and 5.30pm, Monday to Friday on phone and email.

Customer Care

Tel: 0190 472 0617
email: sales@tukans.com

Accounts

Tel: 0141 440 5333
email: accounts@tukans.com

Technical Support

Tel: 0190 472 0617
email: support@tukans.com

Doing Business with TUKANS

How to place an order

Ordering from TUKANS is as simple as it should be. Simply place your order via e-mail at sales@tukans.com and let us do the rest. All orders for stock items received before 2.00pm (Monday to Friday) are dispatched for delivery the next working day (Excludes non stock items, and extended delivery items, and “remote / off-shore areas”).

Backorders

Unless you inform us otherwise, any items that cannot be immediately supplied will be placed on backorder. You will receive a weekly update on your back orders. These backorders will be dispatched as soon as they arrive in stock for delivery the next working day (Excludes non stock items, and extended delivery items, and “remote / off-shore areas”).

Small order charge

TUKANS operates a £500.00 (Ex VAT) small order policy. Orders placed under this threshold will incur an additional charge of £10.00 (Ex VAT). This is to cover the freight cost and extra handling costs.

Free Delivery

TUKANS offers a FREE next working day delivery service (on orders over £500.00 Ex VAT) with goods being delivered before 6pm Monday to Friday. There are the following exceptions:

- Extended Delivery Items - large or heavy items may be dispatched on a 2-3 day pallet service.
- Remote Areas - The following postcodes normally receive a 48 hour service (although we will do our best to deliver in 24 hours) AB, BT, DG, FK, GY, HS, IM, IV, JE, KA, KW, KY, ML, PA, PH, SY, TD, ZE.

INTEGRATOR PRICE LIST – JULY 2025

About Clockaudio

Clockaudio is the leading manufacturers of microphones designed specifically for AV integrators. Their products can be found in prestigious installations including blue-chip corporate boardrooms, cathedrals, courtrooms auditoriums and press conference suites.

Founded by Jim Hallington in 1994, Waterlooville, Hampshire (UK) based Clockaudio has achieved a position of high regard within the professional audio industry by listening to the needs of customers and providing solutions of high quality.

Many of the solutions Clockaudio are unique such as the Retractable series of pop-up boundary mics for integration in to furniture. Other innovations such as the C 303 multi-element ceiling microphone array have attracted the attention of imitators.



Customisation



Central to their ongoing success is Clockaudio's in-house research and development facility, which allows clients to explore customised prototypes and develop incredibly specific briefs in partnership directly with the manufacturer, often working to very short deadlines and in low volumes. This partnership approach has struck a chord with consultants and contractors alike, giving them the opportunity to become involved in developing the ideal solution rather than having to make do with the most suitable off-the-shelf item.

This ability to customise is just one of the many factors which makes the Clockaudio of today Clearly Different in a world of identical manufacturers. For more than three decades since its inception, Clockaudio remains true to its founding principles - "quality and service".

INTEGRATOR PRICE LIST – JULY 2025

Ceiling - Microphone Arrays

Dante Ceiling Microphone Arrays



 **Dante®**

Clockaudio's C 303 tri-element suspended microphone arrays, offer excellent off-the-table audio solutions in conference rooms of all sizes.

Available in Dante and non-Dante models, the C 303 features 360-degree pickup due to its 3 microphone elements, plus with a 2.5M audio cable, users are able to utilise the microphones in rooms with high ceilings.

The C 303-D (Dante model) offers easy installation due to its CAT connection to a network switch.

C 303-D
£941.00

C 303 with Dante and AES67 interfaces. Programmable RGB LED ring around the microphone base. PoE powered. Black.

C 303W-D
£941.00

C 303 with Dante and AES67 interfaces. Programmable RGB LED ring around the microphone base. PoE powered. White.

Analogue Ceiling Microphone Arrays



Clockaudio's C 303 tri-element suspended microphone arrays, offer excellent off-the-table audio solutions in conference rooms of all sizes.

The C 303 features 360-degree pickup due to its 3 microphone elements, each of which are presented individually to your DSP inputs. The included 2.5M cable makes it simple to utilise the microphones in rooms with high ceilings.

An adapter cable assembly allows integrators to utilise Cat5 or better structured cabling to link between the microphone enclosure and the equipment rack.

C 303-RF
£496.00

C 303 microphone with 2.5M audio cable terminating in a Mini XLR connector. Supplied with RJ45 to phoenix link cable. Black.

C 303W-RF
£496.00

C 303 microphone with 2.5M audio cabling terminating in a Mini XLR connector. Supplied with RJ45 to phoenix link cable. White.

INTEGRATOR PRICE LIST – JULY 2025

Ceiling Mount

Gooseneck Plate Mounted Microphones



A collection of knuckle joint, shotgun and short suspended gooseneck microphones, which come fitted with a ceiling plate.

These microphones are specially designed for speech and paging applications and mainly for use in conference rooms, places of worship etc.

Each microphone features cardioid or hyper cardioid elements and a ceiling plate for easy installation.

C 3100-RF-CP £291.00	Slimline short gooseneck microphone with a cardioid polar pattern. 125mm length. Black.
--------------------------------	---

C 3100W-RF-CP £291.00	Slimline short gooseneck microphone with a cardioid polar pattern. 125mm length. White.
---------------------------------	---

Suspended Ceiling Microphones



A combination of semi-rigid and shotgun goosenecks, featuring fully flexible shafts and vertically adjustable knuckle joints.

The C3 and C8 suspended microphone series offer cardioid polar patterns and are perfectly suited for speech purposes in conference halls, places of worship and boardrooms.

Both models are available supplied with the CPPW 01-RF adapter allowing connection to mic level inputs that provide 9-48v phantom power.

C 3S-RF £189.00	Semi-rigid, cardioid condenser microphone. CPPW 01-RF included. 215mm length. Black.
---------------------------	--

C 3SW-RF £189.00	Semi-rigid, cardioid condenser microphone. CPPW 01-RF included. 215mm length. White.
----------------------------	--

C 8S-RF £246.00	Shotgun, hyper cardioid condenser microphone. CPPW 01-RF included. Black.
---------------------------	---

C 8SW-RF £246.00	Shotgun, hyper cardioid condenser microphone. CPPW 01-RF included. White.
----------------------------	---

INTEGRATOR PRICE LIST – JULY 2025

Gooseneck Microphones

C Series - Double Bend

Clockaudio offer an extensive range of gooseneck microphones designed for speech reinforcement applications. The C Series of gooseneck microphones are a tried and trusted solution for capturing audio in courtroom, boardroom and house of worship environments.

Each of the C 3 microphones feature cardioid polar patterns and vary in lengths from 280 to 680mm.



C 32E/SR-RF £161.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 280mm length. Black.
C 33E/SR-RF £164.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 380mm length. Black.
C 33EW/SR-RF £164.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 380mm length. White.
C 34E/SR-RF £170.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 480mm length. Black.
C 34EW/SR-RF £170.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 480mm length. White.
C 35E/SR-RF £184.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 580mm length. Black.
C 36E/SR-RF £193.00	Semi-rigid, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 680mm length. Black.

For shock mounts see Pages 8 and 9

For special projects, gooseneck microphones are available with a number of configure to order features including:

- Fully Flexible Shaft
- Mute Switch
- LED Halo Ring
- Mini-XLR Termination
- M10 Screw Fixation
- External Phantom Power Adapter

Please contact us with details of your specific requirements for a quotation.

INTEGRATOR PRICE LIST – JULY 2025

Gooseneck Microphones

C Series - Knuckle Joint



Clockaudio's knuckle joint versions of the C Series of gooseneck microphones provide durable and reliable solution for capturing audio in courtroom, boardroom and house of worship environments.

Available in three finishes; black, white and nickel, these microphones provide an unobtrusive solution for picking up voices when sight lines are important.

C 301E-RF
£182.00

Knuckle joint, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 180mm length. Black.

C 301EW-RF
£182.00

Knuckle joint, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 180mm length. White.

C 301EN-RF
£182.00

Knuckle joint, cardioid condenser gooseneck microphone. Immune to RF artifacts. XLR-PPA termination. 180mm length. Nickel.

C- Series Mini Shotgun



The slim, mini shotgun microphones are ideally suited for pro and live sound applications like places of worship, leisure centres and conference rooms.

All of the mini shotgun microphones feature hyper-cardioid polar patterns.

C 800E-RF
£235.00

Semi-rigid, mini shotgun condenser gooseneck microphone. Immune to RF artifacts. 3 Pin XLR-PPA termination. 458mm length. Black.

C 800EW-RF
£235.00

Semi-rigid, mini shotgun condenser gooseneck microphone. Immune to RF artifacts. 3 Pin XLR-PPA termination. 458mm length. White.

C 801E-RF
£283.00

Knuckle joint, mini shotgun condenser gooseneck microphone. Immune to RF artifacts. 3 Pin XLR-PPA termination. 262mm length. Black.




C 801EW-RF
£283.00

Knuckle joint, mini shotgun condenser gooseneck microphone. Immune to RF artifacts. 3 Pin XLR-PPA termination. 262mm length. White.

For shock mounts see Pages 8 and 9

INTEGRATOR PRICE LIST – JULY 2025

Shock Mounts, Stands & Adapters - Through Table

Through Table Mounts		
	SM 10 £85.00	Low profile through-table shock mount - 3 Pin Female XLR input and 3 Pin Male XLR output. Black.
	SM 70 £38.00	Low profile, through-table rubber shock mount. Black.
	SM 75 £116.00	Shock mount base for above and below surface. Terminated with 3 Pin Female XLR. Black.
	SM 80 £174.00	Through-table shock mount with flip cover. 3 Pin Female XLR. Black.
	SM 80N £174.00	Through-table shock mount with flip cover. 3 Pin Female XLR. Nickel.
	SM 80S LATCH £197.00	Through-table shock mount with flip cover. 3 Pin Female XLR. LED - Latching switch. Black.
	SM 80SN LATCH £197.00	Through-table shock mount with flip cover. 3 Pin Female XLR. LED - Latching switch. Nickel.
	SM 80S PTT £197.00	Through-table shock mount with flip cover. 3 Pin Female XLR. LED - PTT switch. Black.
	SM 80SN PTT £197.00	Through-table shock mount with flip cover. 3 Pin Female XLR. LED - PTT switch. Nickel.
	SM 93 £49.00	Surface fitting microphone shock mount with 3 Pin Female XLR. Screw terminals. Black.

INTEGRATOR PRICE LIST – JULY 2025

Shock Mounts, Stands & Adapters - Table Top

Table Top Mounts



S 120X
£118.00

Table top base fitted with 3 pin female XLR. Black.
Requires solder termination of XLR.



S 120XS LATCH
£140.00

Table top base fitted with 3 pin female XLR. Latching switch. Black.
Requires solder termination of XLR.



S 120XS PTT
£140.00

Table top base fitted with 3 pin female XLR. PTT switch. Black.
Requires solder termination of XLR.



S 133-RF
£167.00

Table top base with programmable switch, LED. 3 pin female XLR input and 3 pin male XLR output. Black.



S 135-RF
£167.00

Table top base with programmable switch, LED. 3 pin female XLR input and 5 pin male XLR output. (Logic Control). Black.

Paging Microphones

Dynamic Gooseneck Microphones



Dynamic, cardioid gooseneck microphones designed for speech purposes in a variety of commercial audio, paging and retail applications.

As well as these microphones, Clockaudio also manufacture a desk mount, compatible with any of its dynamic gooseneck microphones, with either single or dual zones for easy push to talk.

DMB 1/D 43-PTT
£195.00

Fully flexible, cardioid desk mounted gooseneck paging microphone. PTT (Push to Talk) or Latching options available. Single zone with D 43 head. Open ended termination. 300mm length. Black.

DMB 2/D 43-PTT
£214.00

Fully flexible, cardioid desk mounted gooseneck paging microphone. PTT (Push to Talk) or Latching options available. Dual zone with D 43 head. Open ended termination. 300mm length. Black.

INTEGRATOR PRICE LIST – JULY 2025

Boundary - Pop Up

Retracta Series



Retracta is a range of boundary microphones that feature a mechanism that will allow the user to make the microphone 'disappear' without having to physically remove it from the table.

This is achieved by simply pressing the top of the microphone downwards until it locks, then by pressing the microphone again, it will raise itself back to its original position above the surface of the table. Engineered in high quality brass with built-in shock mount and RF filter.

Both omnidirectional and cardioid models are available, opening the mics up for use in a wider variety of environments including boardroom tables.

CRM 100-RF £348.00	Omnidirectional polar pattern, single element microphone. Black.
------------------------------	--

CRM 100N-RF £348.00	Omnidirectional polar pattern, single element microphone. Nickel.
-------------------------------	---

CRM 102-RF £348.00	Cardioid polar pattern, single element microphone. Black.
------------------------------	---

CRM 102N-RF £348.00	Cardioid polar pattern, single element microphone. Nickel.
-------------------------------	--

CRM 202-RF £537.00	Cardioid polar pattern, dual element microphone. Black.
------------------------------	---

CRM 202N-RF £537.00	Cardioid polar pattern, dual element microphone. Nickel.
-------------------------------	--

CRM 203-RF £681.00	Cardioid polar pattern, triple element microphone. Black.
------------------------------	---

CRM 203N-RF £681.00	Cardioid polar pattern, triple element microphone. Nickel.
-------------------------------	--

INTEGRATOR PRICE LIST – JULY 2025

Boundary - Pop Up

Retracta Series - For Touch Switch Use



The 'F' versions of Retracta mics have a square cut flange rather than the chanfered edge of the standard models.

This allows for mounting in the SWP 2 RGB touch switch plates used to provide local control over microphones at the table.

The square cut edge also allows for these microphones to be mounted truly flush in to a tabletop with the appropriate recess routed in to the surface.

CRMF 100-RF

£348.00

Omnidirectional polar pattern, single element microphone. Flush mounted. Black
SPECIAL ORDER

CRMF 100N-RF

£348.00

Omnidirectional polar pattern, single element microphone. Flush mounted. Nickel.
SPECIAL ORDER

CRMF 102-RF

£348.00

Cardioid polar pattern, single element microphone. Flush mounted. Black

CRMF 102N-RF

£348.00

Cardioid polar pattern, single element microphone. Flush mounted. Nickel

Accessories - Touch Switches

Retracta Series Touch Switches



Through-table microphone mount made from solid brass with electronic touch switch and RGB LED to give clear precise visual status of operation. Touch switch has no moving parts and the electronic circuitry is encapsulated to prevent liquids or other contaminants affecting its operation.

Used in conjunction with DSP units and other electronic mute switching boxes to facilitate soft PTT, PTM and Latching switching. Requires 12vDC power.

Terminated with RJ45 connector and supplied with a touch switch controller (TS-C1) allows connection via CAT 5E patch cable back to CDT-100 or directly to a DSP.

SWP 2 RGB

£224.00

Switch plate with RGB halo ring and touch sensitive switch for CRMF/ARMF microphones. Black.

SWP 2N RGB

£224.00

Switch plate with RGB halo ring and touch sensitive switch for CRMF/ARMF microphones. Nickel.

INTEGRATOR PRICE LIST – JULY 2025

Boundary - Pop Up

Retracta Series - Integrated RGB Touch Switch



The 'S' variants of the Retracta series have an integral capacitive Touch Switch with RGB LED light ring.

Via the included TS-C1 touch switch interface, the microphone can be connected to the GPIO ports of your chosen DSP including Symetrix and Biamp. This allows for local control of mute status with feedback being provided via the LED ring.

CRM 200S-RF RGB £616.00	Omni-directional polar pattern, single element microphone. LED RGB touch switch. Black.
CRM 200SN-RF RGB £616.00	Omni-directional polar pattern, single element microphone. LED RGB touch switch. Nickel.
CRM 202S-RF RGB £616.00	Cardioid polar pattern, dual element microphone with an LED RGB touch switch. Black.
CRM 202SN-RF RGB £616.00	Cardioid polar pattern, dual element microphone with an LED RGB touch switch. Nickel.
CRM 203S-RF RGB £741.00	Cardioid polar pattern, triple element microphone with an LED RGB touch switch. Black.
CRM 203SN-RF RGB £741.00	Cardioid polar pattern, triple element microphone with an LED RGB touch switch. Nickel.

For compatible Dante interfaces see Pages 17

INTEGRATOR PRICE LIST – JULY 2025

Boundary - Through Table

CS Series



The CS Series are solid brass boundary layer microphones with a half cardioid polar pattern. Designed to be placed on a conference table with meeting participants facing the condenser element. The cable exit on the bottom of the mic can be routed through the included M10 threaded tube that secures the microphone to a table in a permanent installation for a clean look. In temporary installations the 2m cable can be routed to the side or rear.

Included with each product is the PPA-RF phantom power adaptor which accepts 9-48V phantom power via the male XLR connection.

Models are available with either 1, 2, 3 or 4 elements to accommodate for different seating arrangements.

CS 1-RF £313.00	Half Cardioid polar pattern, single element microphone. Black.
---------------------------	--

CS 1N-RF £313.00	Half Cardioid polar pattern, single element microphone. Nickel.
----------------------------	---

CS 2-RF £520.00	Half Cardioid polar pattern, dual element microphone. Black.
---------------------------	--

CS 2N-RF £520.00	Half Cardioid polar pattern, dual element microphone. Nickel.
----------------------------	---

CS 3-RF £727.00	Half Cardioid polar pattern, triple element microphone. Black.
---------------------------	--

CS 3N-RF £727.00	Half Cardioid polar pattern, triple element microphone. Nickel.
----------------------------	---

CS 4-RF £836.00	Half Cardioid polar pattern, quad element microphone. Black.
---------------------------	--

CS 4N-RF £836.00	Half Cardioid polar pattern, quad element microphone. Nickel.
----------------------------	---



INTEGRATOR PRICE LIST – JULY 2025

Boundary - Through Table

CS-S Series RGB

The CS-S Series of microphones share the same audio properties as the regular CS Series boundary mics but include an inbuilt touch sensitive capacitive switch with RGB halo allowing local switching live / muting of the microphone.

Included with each mic is the TS-C1 touch switch interface to simplify connection to the GPIO ports on your DSP. Also included is a phantom power adaptor which accepts 9-48V phantom power via a male XLR connection.

Mounting to a table is via the integral M20 threaded tube and included nut and washer.



CS 1S-RF RGB £415.00	Half Cardioid polar pattern, single element microphone with LED RGB touch switch. Black.
--------------------------------	--

CS 1SN-RF RGB £415.00	Half Cardioid polar pattern, single element microphone with LED RGB touch switch. Nickel.
---------------------------------	---

CS 2S-RF RGB £603.00	Half Cardioid polar pattern, dual element microphone with LED RGB touch switch. Black.
--------------------------------	--

CS 2SN-RF RGB £603.00	Half Cardioid polar pattern, dual element microphone with LED RGB touch switch Nickel.
---------------------------------	--

CS 2SV-RF RGB £603.00	V-shaped Half Cardioid polar pattern, dual element microphone with LED RGB touch switch. Black.
---------------------------------	---

CS 2SVN-RF RGB £603.00	V-shaped Half Cardioid polar pattern, dual element microphone with LED RGB touch switch. Nickel.
----------------------------------	--

CS 3S-RF RGB £808.00	Half Cardioid polar pattern, triple element microphone with LED RGB touch switch. Black.
--------------------------------	--

CS 3SN-RF RGB £808.00	Half Cardioid polar pattern, triple element microphone. with LED RGB touch switch. Nickel.
---------------------------------	--

CS 4S-RF RGB £921.00	Half Cardioid polar pattern, quad element microphone with LED RGB touch switch. Black.
--------------------------------	--

CS 4SN-RF RGB £921.00	Half Cardioid polar pattern, quad element microphone with LED RGB touch switch. Nickel.
---------------------------------	---

For compatible Dante interfaces see Pages 17

INTEGRATOR PRICE LIST – JULY 2025

Boundary - Through Table

Button Style



Clockaudio's button style, table-top microphones provide simple, professional audio solutions in conferencing, security and court room environments.

The button style microphones are available with both cardioid and omnidirectional polar patterns, offering alternative pickups depending on your application.

Each of the microphones require simple through-table installation and shock mounting, with the microphone head sitting ontop of the table.

C 003E-RF £191.00	Omnidirectional polar pattern microphone with mesh grille. Black.
-----------------------------	---

C 003EW-RF £191.00	Omnidirectional polar pattern microphone with mesh grille. White.
------------------------------	---

C 004E-RF £191.00	Cardioid polar pattern microphone with mesh grille. Black.
-----------------------------	--

C 004EW-RF £191.00	Cardioid polar pattern microphone with mesh grille. White.
------------------------------	--

C 011E-RF £185.00	Omnidirectional polar pattern microphone. Robust brass housing. Black.
-----------------------------	--

C 011EN-RF £185.00	Omnidirectional polar pattern microphone. Robust brass housing. Nickel.
------------------------------	---

C 012E-RF £185.00	Cardioid polar pattern microphone. Robust brass housing. Black.
-----------------------------	---

C 012EN-RF £185.00	Cardioid polar pattern microphone. Robust brass housing. Nickel.
------------------------------	--

For compatible touch switches see Page 16

INTEGRATOR PRICE LIST – JULY 2025

Accessories - Touch Switches

Boundary Microphone Touch Switches



TS 005 RGB MK3
£118.00

Surface mount halo ring with programmable RGB LED touch switch. Terminated with RJ 45. Grey.




TS 005W RGB MK3
£118.00

Surface mount halo ring with programmable RGB LED touch switch. Terminated with RJ 45. White.




TS 003 RGB
£117.00

Through-table flush mount programmable RGB LED touch switch. Terminated with RJ 45. Grey.



S 80S LATCH
£144.00

Through-table microphone mount with bi-colour LED and latching switch. Terminated with RJ 45. Black.



S 80S PTT
£144.00

Through-table microphone mount with bi-colour LED and PTT (Push to Talk) switch. Terminated with RJ 45. Black.



LB 001-PS
£252.00

Digital mute switching box for use with switch models TS 003 RGB & TS 005 RGB. Includes 12V DC regulated power adapter. Black.

INTEGRATOR PRICE LIST – JULY 2025

Audio Interfaces

Dante Transporter



The Clockaudio Dante Transporter is an advanced Dante audio and control interface. Designed for easy integration with Symetrix, Q-SYS and Biamp DSPs.

4 high quality mic preamps with 48V phantom power allow integration with almost all Clockaudio microphones. Touch Switch ports support the range of RGB touch switches for logic control (PTT, Mute etc.).

Dual Dante ports allow up to 6 CDT-100 to be daisy chained. Up to 6 devices can be powered via daisy chain connection from the CDT-PSU-6.

CDT-100-MK3

£1,155.00

Dante audio interface with 4 audio mic inputs and two line outputs. Touch Switch compatible for local button control of mics.

CDT-PSU-6

£69.00

External 12Vdc power supply for up to 6 CDT-100's.

USB



Enables virtually any Clockaudio microphones to integrate with soft codecs and other computer applications via USB. With input for up to two microphones, excellent built-in pre-amp, RGB LED switch button integration and a host of other setup features, the CUI-2 is well positioned to deliver the highest level of speech intelligibility when telecommuting, videoconferencing or webcasting.

Designed to be mounted under a desk or table via integral mounting wings, the CUI-2 is a compact minimalist piece of equipment easily integrated in to almost any workspace.

CUI-2

£623.00

2-channel USB microphone preamp with 48V phantom power. Can be integrated with RGB touch switches.